




Commercial Washroom Accessory Catalog

# Total protection from bacteria with BioCote® technology



Why choose Biocote® grab bars, seats and accessories.

- Active 24/7
- Full protection against microbes
- Reduced microbial levels up to 99.99%
- Effective against a wide range of microbes
- Active for the expected lifetime of the product



**BioCote®** reduces the number of microbes on a surface by up to 86% in just 15 minutes, 99.5% in two hours and up to 99.99%. Actively complementing existing hygiene practices such as hand hygiene and thorough product cleaning regimes, **BioCote®** provides an additional layer of protection.

## Why should you care about microbes and antimicrobial technology?

Bacteria such as **MRSA** and **Escherichia coli (E.coli)** can survive on hard surfaces for many months leading to possible cross-contamination.

BioCote® technology proved to deactivate some viruses and is effective against a wide range of microbes such as: **STAPHYLOCOCCUS AUREUS**, **ESCHERICHIA COLI (E.COLI)**, **SALMONELLA**, **LISTERIA**, **LEGIONELLA**, **CAMPYLOBACTER**, **PSEUDOMONAS**, **SHIGELLA**, **H1N1 VIRUS**, **ASPERGILLUS NIGER**.



How does Biocote® Work on Ponte Giulio Products?

*BioCote® is incorporated into the vinyl coating at the time of manufacturing. Silver ions are incorporated to act against bacteria that contaminate the surface. The incorporated silver ions bind with the bacteria and damage it in a number of ways, disrupting their normal function. Disrupting their normal function prevents the bacteria from reproducing, and in turn it cannot survive.*

Visit our web at:  
[www.pontegiuliousa.com](http://www.pontegiuliousa.com)

Discover more at: [www.biocote.com](http://www.biocote.com)



## Company

Ponte Giulio is one of North America's largest manufacturers of safety solutions for bathrooms with a range of products suitable for hospitals, nursing homes, hotels, and other commercial and residential buildings.



## Environment

Ponte Giulio strives to minimize the impact of its activities and the resources consumed during production and manufacturing. We are constantly trying to make the best environmentally friendly choices with materials, production choices, and daily operations.



## Health

Ponte Giulio's priority has always been to minimize health and safety risks to people using the products by selecting raw materials that do not contain hazardous or dangerous components.

# Index

## SHOWER SEATS & BENCHES



Folding L-Shape Seats **6**

Folding Rectangular Seats **8**

Benches **10**

## BARIATRIC 1,000+ LBS



Bariatric Seats **12**

Bariatric Straight Grab Bars **12**

Bariatric L-Shape **14**

## GRAB BARS



Straight **16**

Anti-Ligature **17**

L-Shape **18**

Floor to Wall **19**

Folding/Swinging **20**

## ACCESSORIES



Toilet Paper Holders **24**

Robe Hooks **25**

Baskets/Shelves **26**

Towel Holders **27**

Hand Shower Holders **27**

Shower Rods **28**

## FASTENERS



Fasteners **32**

## About this document

This catalog is built with interactive features. Located in the example product below you will find all of the available features.



### BARIATRIC

ADA   BIM  

**The most relevant features are presented using icons, the meaning of which is given in the table at the bottom of this page.**



**BARIATRIC**

ADA Bariatric, L-shape folding HPL seat with legs, left orientation. Lifetime antimicrobial vinyl coated frame with stainless steel core. 10mm thick HPL seat top.

- 1,000+LB load capacity
- Antimicrobial frame
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Less than 6" projection from wall when folded
- Lifetime warranty 

Materials: HPL, Stainless steel

Color/Finish: CodeXX, wa

Code	Dimensions [inches]	Load [lbs.]	Weight [lbs.]
G02IDL31xx	34-3/8 x 22-5/8 x 19-3/16	1000	35.49
G02JDR31xx	34-3/8 x 22-5/8 x 19-3/16	1000	35.49

ADA Bariatric reversible, HPL L-shape seat with legs. 100% Stainless steel frame and mounting flange. Mounting flange concealed with polyamide flange cover. 16mm thick HPL seat top. Adjustable height seat.

- Works with most industry curb-less shower drain
- 1,000+LB load capacity
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- M12 Stainless steel leveling legs with anti-slip bottom
- Less than 7" projection from wall when folded
- Lifetime warranty 

Materials: HPL, Stainless steel, Aluminum

Color/Finish: CodeXX, wa

Code	Dimensions [inches]	Load [lbs.]	Weight [lbs.]
G55JDS31xx	31-1/2 x 22-13/16 x 19	1000	31.97

Bariatric 12" lifetime antimicrobial vinyl coated grab bar. No maintenance 3mm thick antimicrobial vinyl coating. Concealed stainless steel 11-hole flange plate.

- 1,000+LB load capacity
- Non-slip, warm to the touch finish
- Installation hardware included for wood stud
- Lifetime warranty 

Materials: Vinyl, Zinc-plated steel, Polyamide

Color/Finish: CodeXX, w1

Code	Dimensions [inches]	Inter-axis A1	Load [lbs.]	Weight [lbs.]
G02JAS01xx	15-3/16 x 2-7/8 x 3-1/8	12	1000	2.2

This blue BIM icon will take you to the Building Information Modeling for this product.

### Icons Legend

 ADA	ADA Compliant	 Mounting hardware supplied for wood stud installation.
 Customizable size and/or orientation		 Product has been manufactured with partial or fully recycled materials.
 Product is reversible. Orientation (Left or Right) does not need to be specified		 1,000+ lb load capacity.
 Antimicrobial, preventing bacteria, mold and fungi growth and/or reproduction.		 Building Information Modeling parametric object availability
 Installation manual		

4 Commercial Washroom Accessory Catalog

© 2021, Ponte Giulio S.p.A

All Ponte Giulio products come with a warranty. Complete warranty information for each product can be found by clicking here.



Code	Description	Dimensions
<a href="#">G02JDL31xx</a>	34-3/8 x 22-5/8 x 19-3/16	1000 35.49
<a href="#">G02JDR31xx</a>	34-3/8 x 22-5/8 x 19-3/16	1000 35.49

Each product code has a hyperlink to the technical data sheet. Click the product code and a new window will open, taking you to the complete product data for that item.

[Back to Index](#)

# SHOWER SEATS & BENCHES

Ponte Giulio shower seats are engineered and manufactured to bring ADA accessibility and support for all commercial and residential facilities. All seats and benches are manufactured with 100% stainless steel frame and/or core, and mounting plates to withstand high traffic and wet environments.



### Shower Seat, L-Shape, Reversible, HPL



ADA L-shape, reversible folding phenolic shower seat with legs. 100% Stainless steel frame and mounting flange. 10mm thick HPL seat top.

- Reversible orientation
- 360LB load capacity on edge, 600LB center line load capacity
- 100% stainless steel frame and mounting flange.
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Legs carry 75%+ of load, allowing more options for installation
- Lifetime warranty [①](#)

Materials HPL, Stainless steel

Color/Finish Code/XX W8

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G56UHS03xx</a>	31-1/2 x 22-3/4 x 17-19	360	22.05



### Shower Seat, L-Shape, Reversible, HPL




ADA L-shape, reversible folding phenolic L-shape seat with legs. 100% Stainless steel frame and mounting flange. Mounting flange concealed with polyamide flange cover. 16mm thick HPL seat top. M12 stainless steel leveling feet.

- Works with most industry curb-less shower drains
- 550LB Load capacity
- Install hardware included for wood stud
- M12 Stainless steel leveling legs with anti-slip bottom
- Less than 7" projection from wall when folded
- Tension hinge prevents seat dropping
- Lifetime warranty [①](#)

Materials HPL, Stainless steel

Color/Finish Code/XX W8

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G55JDS35xx</a>	31-1/2 x 22-13/16 x 17-19	550	28.66



### Shower Seat, L-Shape, HPL



ADA L-shape folding HPL seat, specify left or right. Lifetime antimicrobial vinyl coated frame with stainless steel core. 10mm thick HPL seat top.

- 450LB load capacity
- ADA
- Antimicrobial frame
- Additional frame and flange colors available
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Lifetime warranty [i](#)

Materials HPL, Stainless steel, Vinyl, Polyamid

Color/Finish Code/XX W8

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G25JDL29xx</a>	34-3/16 x 22-3/4 x 9-1/8	450	14.99
<a href="#">G25JDR29xx</a>	34-3/16 x 22-3/4 x 9-1/8	450	14.99



### Shower Seat, L-Shape with Spacer, Nylon



L-shaped double folding shower seat with spacer, specify left or right, zinc-plated steel frame, stainless steel concealed mounting flange, nylon seat.

- 450LB load capacity
- Antimicrobial frame
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Less than 6" projection from wall when folded
- Lifetime warranty [i](#)

Materials Vinyl, Stainless steel, Polyamid

Color/Finish Code/XX W1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G02JDL29xx</a>	34-1/8 x 22-5/16 x 9-3/16	450	33,07
<a href="#">G02JDR29xx</a>	34-1/8 x 22-5/16 x 9-3/16	450	33,07



### Shower Seat, L-Shape, Nylon


L-shaped double folding shower seat, specify left or right, zinc-plated steel frame, stainless steel concealed mounting flange, nylon seat.

- 450LB load capacity
- ADA
- Antimicrobial frame
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Less than 6" projection from wall when folded
- Lifetime warranty [i](#)

Materials      Vinyl, Stainless steel, Polyamid

Color/Finish Code/XX      W1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G02JDL30xx</a>	29-1/8 x 22-5/16 x 9-3/8		450	31,97
<a href="#">G02JDR30xx</a>	29-1/8 x 22-5/16 x 9-3/8		450	31,97



### Shower Seat, Rectangle, HPL


ADA Rectangular folding phenolic shower seat with legs. 100% Stainless steel frame and mounting flange. 10mm thick HPL seat top.

- Double wide for comfort
- 600LB load capacity
- 100% stainless steel frame and mounting flange.
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Legs carry 75%+ of load, allowing more options for installation
- Lifetime warranty [i](#)

Materials      HPL, Stainless steel, Aluminium

Color/Finish Code/XX      W8

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G56UHS02xx</a>	31-1/2 x 15-3/4 x 17-19	600	17.64



### Shower Seat, Rectangle, Compact, HPL


Single rectangular folding phenolic shower seat with legs. 100% Stainless steel frame and mounting flange. 10mm thick HPL seat top.

- Single seat great for compact spaces
- 600LB Load Capacity
- Exceeds ADA load capacity requirements
- 100% stainless steel frame and mounting flange.
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Legs carry 75%+ of load, allowing more options for installation
- Lifetime warranty [i](#)

Materials HPL, Stainless steel

Color/Finish Code/XX W8

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G56UHS01xx</a>	22-1/16 x 15-3/4 x 17-19	600	14.33



### Shower Seat, Rectangle, HPL


ADA rectangular folding HPL seat. Lifetime antimicrobial vinyl coated frame with stainless steel core. 10mm thick HPL seat top.

- 450LB load capacity
- Antimicrobial frame
- Additional frame and flange colors available
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Lifetime warranty [i](#)

Materials HPL, Stainless steel, Vinyl, Polyamid

Color/Finish Code/XX W8

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G25JDS22xx</a>	34-3/16 x 15-3/4 x 9-1/8	450	24.25



### Bathtub Seat Bench, HPL


Folding HPL tub bench. Lifetime antimicrobial vinyl coated frame with stainless steel core. 10mm thick HPL seat top.

- G25JDS18 Fits standard 28"-30" tubs
- G25JDS19 Fits standard 30"-32" tubs
- 450LB Load capacity
- Antimicrobial frame
- Additional frame and flange colors available
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Lifetime warranty ⓘ

Materials HPL, Stainless steel, Vinyl, Polyamid

Color/Finish Code/XX W8

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#"><b>G25JDS18xx</b></a>	18-3/4 x 27-3/16 x 5-1/8	450	14.99
<a href="#"><b>G25JDS19xx</b></a>	18-3/4 x 31-1/8 x 5-1/8	450	15.43



### Bathtub Seat Bench, Nylon

Folding HPL tub bench. Lifetime antimicrobial vinyl coated frame with stainless steel core. 10mm thick HPL seat top.

- G02JDS18 Fits standard 28"-30" tubs
- G02JDS19 Fits standard 30"-32" tubs
- 450+LB load capacity
- Antimicrobial frame & nylon seat
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Less than 6" projection from wall when folded
- Lifetime warranty ⓘ

Materials Vinyl, Stainless steel, Polyamid



Color/Finish Code/XX W1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#"><b>G02JDS18xx</b></a>	17-5/8 x 27-15/16 x 5-1/8	450	14,77
<a href="#"><b>G02JDS19xx</b></a>	17-5/8 x 32-13/16 x 5-1/8	450	16,53

[Back to Index](#)

# BARIATRIC 1,000+ LBS

Ponte Giulio's bariatric products have been manufactured and tested for load capacities up to 1,000lbs. These products have been engineered for longevity and durability.



### Bariatric Shower Seat, L-Shape, Reversible, HPL



ADA Bariatric, L-shape folding HPL seat with legs, specify left or right. Lifetime antimicrobial vinyl coated frame with stainless steel core. 10mm thick HPL seat top.

- 1000+LB load capacity
- Antimicrobial frame
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Less than 6" projection from wall when folded
- Lifetime warranty [①](#)

Materials HPL, Stainless steel, Vinyl, Polyamid

Color/Finish Code/XX W8

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G02JDL31xx</a>	34-5/8 x 22-5/8 x 19-3/16	1000	35.49
<a href="#">G02JDR31xx</a>	34-5/8 x 22-5/8 x 19-3/16	1000	35.49



### Bariatric Shower Seat, L-Shape, Reversible, HPL


ADA Bariatric reversible, HPL L-shape seat with legs. 100% Stainless steel frame and mounting flange. Mounting flange concealed with polyamide flange cover. 16mm thick HPL seat top. Adjustable height feet.

- Works with most industry curb-less shower drains
- 1000+LB Load capacity
- Install hardware included for wood stud
- Tension hinge prevents seat dropping
- Stainless steel leveling legs with anti-slip bottom
- Less than 7" projection from wall when folded
- Lifetime warranty [①](#)

Materials HPL, Stainless steel, Aluminium

Color/Finish Code/XX W8

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G55JDS31xx</a>	31-1/2 x 22-13/16 x 17-19	1000	31.97



### Bariatric Grab Bar, Vinyl Coated, 2 Flange


Bariatric 12" lifetime antimicrobial vinyl coated grab bar. No maintenance 3mm thick antimicrobial vinyl coating. Concealed stainless steel 11-hole flange plate.

- 1,000+LB load capacity
- Non-slip, warm to the touch finish
- Installation hardware included for wood stud
- Lifetime warranty [①](#)

Materials Vinyl, Zinc-plated steel, Polyamide

Color/Finish Code/XX W1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G02JAS01xx</a>	15-3/16 x 2-7/8 x 3-1/8	12	1000



### Bariatric Grab Bar, Vinyl Coated, 3 Flange


Bariatric, lifetime antimicrobial vinyl coated grab bar. No maintenance 3mm thick antimicrobial vinyl coating. Concealed stainless steel 11-hole flange plate.

- 1,000+LB load capacity
- ADA
- Non-slip, warm to the touch finish
- Installation hardware included for wood stud
- Lifetime warranty [①](#)

Materials      Vinyl, Zinc-plated steel, Polyamide

Color/Finish Code/XX      W1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G02JAS11xx</a>	19-1/8 x 2-7/8 x 3-1/8	16	1000	2.87
<a href="#">G02JAS12xx</a>	21-1/8 x 2-7/8 x 3-1/8	18	1000	3.09
<a href="#">G02JAS13xx</a>	27-3/16 x 2-7/8 x 3-1/8	24	1000	3.64



### Bariatric Grab Bar, Vinyl Coated, 4 Flange



Bariatric 36" lifetime antimicrobial vinyl coated grab bar. No maintenance 3mm thick antimicrobial vinyl coating. Concealed stainless steel 11-hole flange plate.

- 1,000+LB load capacity
- ADA
- Non-slip, warm to the touch finish
- Installation hardware included for wood stud
- Lifetime warranty [①](#)

Materials      Vinyl, Zinc-plated steel, Polyamide

Color/Finish Code/XX      W1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G02JAS14xx</a>	39-1/4 x 2-7/8 x 3-1/8	36	1000	5.16



### Bariatric Grab Bar, Vinyl Coated, 5 Flange

Bariatric, lifetime antimicrobial vinyl coated grab bar. No maintenance 3mm thick antimicrobial vinyl coating. Concealed stainless steel 11-hole flange plate.

- 1,000+LB load capacity
- ADA
- Non-slip, warm to the touch finish
- Installation hardware included for wood stud
- Lifetime warranty [①](#)

Materials      Vinyl, Zinc-plated steel, Polyamide

Color/Finish Code/XX      W1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G02JAS16xx</a>	45-1/8 x 2-7/8 x 3-1/8	42	1000	6.33
<a href="#">G02JAS18xx</a>	51-1/8 x 2-7/8 x 3-1/8	48	1000	7.05



Optional




Slide ABS hand shower holder

[Y87J0S02](#)

Optional



Ergonomic ABS hand shower holder

[Y87J0S04](#)**Bariatric Grab Bar, L-Shape, Vinyl Coated**

Bariatric 12" x 32" lifetime antimicrobial vinyl coated L-shape grab bar. No maintenance 3mm thick antimicrobial vinyl coating. Concealed stainless steel 11-hole flange plate. Specify left or right

- 1,000+LB load capacity
- ADA
- Non-slip, warm to the touch finish
- Installation hardware included for wood stud
- Lifetime warranty [i](#)

Materials

Vinyl, Zinc-plated steel, Polyamide

Color/Finish Code/XX


W1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G02JBL21xx</a>	15-3/16 x 2-7/8 x 35-1/8	12 x 32	1000	6.83
<a href="#">G02JBR21xx</a>	15-3/16 x 2-7/8 x 35-1/8	12 x 32	1000	6.83

[Back to Index](#)

## GRAB BARS

Ponte Giulio grab bars exceed ADA load capacity, and are manufactured with the durability to withstand the high traffic areas in commercial applications.



### **Stainless steel grab bar, Satin and Polished**


Center on center stainless steel grab bar with concealed flange plates. 1.25" diameter, 1.2mm wall thickness, 304 stainless steel.

- 450LB load capacity
- Install hardware included for wood stud
- Multiple flange holes for easy installation
- Lifetime warranty [\(i\)](#)

Materials      **Stainless steel**

Color/Finish Code/XX      **N1**      **N2**

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G57JAS01xx</a>	15-1/8 x 2-3/4 x 3-1/8	12	450	1.01
<a href="#">G57JAS02xx</a>	19-1/8 x 2-3/4 x 3-1/8	16	450	1.26
<a href="#">G57JAS03xx</a>	21-1/8 x 2-3/4 x 3-1/8	18	450	1.37
<a href="#">G57JAS04xx</a>	27-1/8 x 2-3/4 x 3-1/8	24	450	1.75
<a href="#">G57JAS05xx</a>	33-1/8 x 2-3/4 x 3-1/8	30	450	2.20
<a href="#">G57JAS06xx</a>	35-1/8 x 2-3/4 x 3-1/8	32	450	2.25
<a href="#">G57JAS07xx</a>	39-1/8 x 2-3/4 x 3-1/8	36	450	2.54
<a href="#">G57JAS08xx</a>	45-1/8 x 2-3/4 x 3-1/8	42	450	2.91
<a href="#">G57JAS09xx</a>	51-1/8 x 2-3/4 x 3-1/8	48	450	3.31



### **Stainless Steel Straight Grab Bar, Peened Texture Finish**


Center on center Peened texture stainless steel grab bar with concealed flange plates. 1.25" diameter, 1.2mm wall thickness, 304 stainless steel. Satin (brushed nickel) with Peened texture in middle.

- 450LB load capacity
- Install hardware included for wood stud
- Multiple flange holes for easy installation
- Lifetime warranty [\(i\)](#)

Materials      **Stainless steel**

Color/Finish Code/XX      **N1**

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G57UAS01N1</a>	15-1/8 x 2-3/4 x 3-1/8	12	450	1.01
<a href="#">G57UAS02N1</a>	19-1/8 x 2-3/4 x 3-1/8	16	450	1.26
<a href="#">G57UAS03N1</a>	21-1/8 x 2-3/4 x 3-1/8	18	450	1.37
<a href="#">G57UAS04N1</a>	27-1/8 x 2-3/4 x 3-1/8	24	450	1.75
<a href="#">G57UAS05N1</a>	33-1/8 x 2-3/4 x 3-1/8	30	450	2.20
<a href="#">G57UAS06N1</a>	35-1/8 x 2-3/4 x 3-1/8	32	450	2.25
<a href="#">G57UAS07N1</a>	39-1/8 x 2-3/4 x 3-1/8	36	450	2.54
<a href="#">G57UAS08N1</a>	45-1/8 x 2-3/4 x 3-1/8	42	450	2.91



### Vinyl coated, antimicrobial grab bar


Lifetime antimicrobial vinyl coated grab bar. No maintenance 3mm thick antimicrobial vinyl coating. Concealed polyamide fiberglass reinforced 4-hole flange plate.

- 450LB load capacity
- ADA
- Antimicrobial
- Non-slip, warm to the touch finish
- Installation hardware included for wood stud
- Price comparable to stainless
- Lifetime warranty ⓘ

Materials      Vinyl, zinc plated steel, Polyamide

Color/Finish Code/XX    D1    D2    I1    I2    W1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#"><u>G25JAS01xx</u></a>	15-3/16 x 2-3/4 x 3-3/16	12	450	1.81
<a href="#"><u>G25JAS02xx</u></a>	19-3/16 x 2-3/4 x 3-3/16	16	450	2,15
<a href="#"><u>G25JAS03xx</u></a>	21-3/16 x 2-3/4 x 3-3/16	18	450	2,54
<a href="#"><u>G25JAS04xx</u></a>	27-3/16 x 2-3/4 x 3-3/16	24	450	3,26
<a href="#"><u>G25JAS05xx</u></a>	33-3/16 x 2-3/4 x 3-3/16	30	450	3,84
<a href="#"><u>G25JAS06xx</u></a>	35-3/16 x 2-3/4 x 3-3/16	32	450	4,70
<a href="#"><u>G25JAS07xx</u></a>	39-3/16 x 2-3/4 x 3-3/16	36	450	5,78
<a href="#"><u>G25JAS08xx</u></a>	45-3/16 x 2-3/4 x 3-3/16	42	330	5,51
<a href="#"><u>G25JAS09xx</u></a>	51-3/16 x 2-3/4 x 3-3/16	48	330	6,24



### Anti-Ligature Grab Bars, Stainless Steel

Anti-ligature satin stainless steel grab bar. 1.25" diameter, 1.2mm wall thickness, 304 stainless steel.


- 400LB load capacity
- Exceeds ADA load requirements
- Install hardware not included
- Lifetime warranty ⓘ

Materials      Stainless steel

Color/Finish Code/XX    N1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#"><u>G55UXS03xx</u></a>	21-1/16 x 2-3/4 x 3-1/16	18	400	2.20
<a href="#"><u>G55UXS04xx</u></a>	27-1/16 x 2-3/4 x 3-1/16	24	400	2.87
<a href="#"><u>G55UXS07xx</u></a>	39-1/16 x 2-3/4 x 3-1/16	36	400	3.53
<a href="#"><u>G55UXS08xx</u></a>	45-1/16 x 2-13/16 x 3-1/16	42	400	3.97

## GRAB BARS, SUPPORTS AND ASSISTS



### L-Shape Grab Bar, Stainless Steel



Satin 16" x 32" stainless steel L-shape grab bar with concealed flange plates. 1.25" diameter, 1.2mm wall thickness, 304 stainless steel. Specify left or right

- 330LB load capacity
- Exceeds ADA load requirements
- Install hardware included for wood stud
- Lifetime warranty [i](#)

Materials      Stainless steel

Color/Finish Code/XX      N1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G55JBR19xx</a>	19-1/16 x 2-3/4 x 35-1/8	16 x 32	330	5.73
<a href="#">G55JBL19xx</a>	19-1/16 x 2-3/4 x 35-1/8	16 x 32	330	5.73



### L-Shape Grab Bar, Vinyl Coated


18" x 36" lifetime antimicrobial vinyl coated L-shape grab bar, No maintenance 3mm thick antimicrobial vinyl coating. Concealed polyamide fiberglass reinforced 4-hole flange plate. Specify left or right

- 450LB load capacity
- Exceeds ADA load capacity requirements
- Antimicrobial
- Non-slip, warm to the touch finish
- Installation hardware included for wood stud
- Price comparable to stainless
- Lifetime warranty [i](#)

Materials      Vinyl, Zinc-plated steel, Polyamide

Color/Finish Code/XX      W1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G25JBL20xx</a>	21-3/16 x 2-3/4 x 39-3/16	18 x 36	450	5.07
<a href="#">G25JBR20xx</a>	21-3/16 x 2-3/4 x 39-3/16	18 x 36	450	5.07



### 110 Degree Grab Bar, Stainless Steel


Satin 110° angled grab bar with concealed flange plates. 1.25" diameter, 1.2mm wall thickness, 304 stainless steel.

- 330LB load capacity
- Exceeds ADA load requirements
- Install hardware included for wood stud
- Lifetime warranty [i](#)

Materials      Stainless steel

Color/Finish Code/XX      N1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G55JAS15xx</a>	19-3/16 x 2-3/4 x 14-3/8	16-1/8 x 11-1/4	330	1.9



### Floor Mount Grab Bar, Stainless Steel



Satin 24" floor mounted grab bar. 1.25" diameter, 1.2mm wall thickness, 304 stainless steel.

- 265LB load capacity
- Exceeds ADA load requirements
- Lifetime warranty [i](#)

Materials      Stainless steel

Color/Finish Code/XX      N1

Code	Dimensions [inches] Overall AxBxC	inter-axis B1xC1	Load [lbs.]	Weight [lbs.]
<a href="#">G56JCS03xx</a>	3-1/8 x 24-1/2 x 29-1/8	16 x 6-3/4	265	4,87



### 90 Degree Floor to Wall Grab Bar, Stainless Steel


Satin 90° angle floor to wall stainless steel grab bar with outrigger and concealed flange plates, right or left handed orientation. 1.25" diameter, 1.2mm wall thickness, 304 stainless steel.

- 330LB load capacity
- Exceeds ADA load requirements
- Install hardware included for wood stud
- Lifetime warranty [i](#)

Materials      Stainless steel

Color/Finish Code/XX      N1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G55JCR38xx</a>	8-1/16 x 31-1/2 x 34-1/2	5	330	
<a href="#">G55JCL38xx</a>	8-1/16 x 31-1/2 x 34-1/2	5	330	



### 90 Degree Floor to Wall Grab Bar, Vinyl Coated

90° Angle floor to wall lifetime antimicrobial, vinyl coated grab bar with reversible outrigger. Reversible orientation. 1.25" diameter, no maintenance 3mm thick antimicrobial vinyl coating. Concealed polyamide fiberglass reinforced 4-hole flange plate.

- 330LB load capacity
- Exceeds ADA load requirements
- Install hardware included for wood stud
- Non-slip, warm to the touch finish
- Antimicrobial
- Price comparable to stainless steel
- Lifetime warranty [i](#)


Materials      Vinyl, Zinc-plated steel, Polyamide

Color/Finish Code/XX      W1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G25JCS38xx</a>	8-11/16 x 31-9/16 x 34-9/16	5-1/2	330	8.05



Optional

[F17AGN03](#)

### Folding Grab Bars, Vinyl Coated, Anti-Microbial


Lifetime antimicrobial vinyl coated folding grab bar. No pinch flange and follows commercial child safety protocol. No maintenance 3mm thick antimicrobial vinyl coating. Stainless steel mounting plate concealed by polyamide flange cover.

- 330LB load capacity
- Exceeds ADA load capacity requirements
- Non-slip, warm to the touch finish
- Tension hinge prevents bar from falling
- Antimicrobial
- Lifetime warranty [i](#)

Materials      Vinyl, Stainless steel, Zinc-plated steel, Polyamide

Color/Finish Code/XX      W1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G41JCS09xx</a>	4-7/16 x 23-5/8 x 9-3/16	330	6.45
<a href="#">G41JCS10xx</a>	4-7/16 x 27-9/16 x 9-3/16	330	7.44



### Folding Grab Bars, Vinyl Coated, Anti-Microbial

Lifetime antimicrobial vinyl coated folding grab bar. No pinch flange and follows commercial child safety protocol. No maintenance 3mm thick antimicrobial vinyl coating. Stainless steel mounting plate concealed by polyamide flange cover.

- 265LB load capacity
- Non-slip, warm to the touch finish
- Tension hinge prevents bar from falling
- Antimicrobial
- Lifetime warranty [i](#)

Materials      Vinyl, Stainless steel, Zinc-plated steel, Polyamide

Color/Finish Code/XX      W1


Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G41JCS47xx</a>	4-7/16 x 33-7/16 x 9-3/16	265	8.5

Optional

[F17AGN03](#)



Optional

[F17AGN03](#)

### Folding & Rotating Grab Bars, Vinyl Coated, Anti-Microbial

Lifetime antimicrobial vinyl coated folding and rotating grab bar. No pinch flange and follows commercial child safety protocol. No maintenance 3mm thick antimicrobial vinyl coating. Stainless steel mounting plate concealed by polyamide flange cover.

- 330LB load capacity
- Exceeds ADA load capacity requirements
- Non-slip, warm to the touch finish
- Tension hinge prevents bar from falling
- Folds up and rotates flat against the wall when not in use
- Antimicrobial
- Lifetime warranty [①](#)

Materials      Vinyl, Stainless steel, Zinc-plated steel, Polyamide

Color/Finish Code/XX    W1

Code	Dimensions [inches] Overall AxBxC	inter-axis A1	Load [lbs.]	Weight [lbs.]
<a href="#">G41JCS01xx</a>	4-7/16 x 23-5/8 x 9-3/16		330	6.61
<a href="#">G41JCS03xx</a>	4-7/16 x 27-9/16 x 9-3/16		330	8.05

### Folding & Rotating Grab Bars, Vinyl Coated, Anti-Microbial

Lifetime antimicrobial vinyl coated folding and rotating grab bar. No pinch flange and follows commercial child safety protocol. No maintenance 3mm thick antimicrobial vinyl coating. Stainless steel mounting plate concealed by polyamide flange cover.


- 265LB load capacity
- Exceeds ADA load capacity requirements
- Non-slip, warm to the touch finish
- Tension hinge prevents bar from falling
- Folds up and rotates flat against the wall when not in use
- Antimicrobial
- Lifetime warranty [①](#)

Materials      Vinyl, Stainless steel, Zinc-plated steel, Polyamide

Color/Finish Code/XX    W1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G41JCS46xx</a>	4-7/16 x 33-7/16 x 9-3/16	265	8.49

Optional

[F17AGN03](#)



## Folding Grab Bars, Stainless Steel

Satin stainless steel folding grab bar. 1.25" diameter, 1.2mm wall thickness, 304 stainless steel.

- Exceeds ADA load requirements
- Tension hinge prevents seat dropping
- Lifetime warranty [i](#)




Optional



Nylon  
removable roll  
paper holder

[F17AGN03](#)



Materials

Stainless steel

Color/Finish Code/XX N1


Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G55JCS12xx</a>	3-9/16 x 23-5/8 x 9-7/16	330	4.30
<a href="#">G55JCS14xx</a>	3-9/16 x 31-1/2 x 9-7/16	265	4.45



[Back to Index](#)

# ACCESSORIES

Ponte Giulio accessories and shower rods are manufactured with the durability to withstand high traffic use in commercial applications.




### Toilet Paper Holder, Stainless Steel

Circular satin stainless steel roll paper holder

- Installation hardware included for wood stud
- Can be mounted vertically or horizontally
- 22+LB load capacity

Materials	Stainless steel		
Color/Finish Code/XX	N1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">TPHCI001xx</a>	1-3/4 x 2-13/16 x 6-9/16	22	0.50




### Toilet Paper Holder, Wall Mount, Nylon

Nylon wall mount roll paper holder

- Installation hardware included for wood stud
- Lifetime warranty [\(i\)](#)

Materials	Polyamide		
Color/Finish Code/XX	W1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">F17AGN04xx</a>	5-7/8 x 1-3/8 x 4-3/4	11	0.33



### Toilet Paper Holder, Attach to Grab Bar, Nylon

Nylon removable roll paper holder

- Assembly hardware included
- Fits on any 1.25"dia grab bar
- Lifetime warranty [\(i\)](#)

Materials	Polyamide		
Color/Finish Code/XX	W1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">F17AGN03xx</a>	1-5/16 x 6-7/8 x 6-1/8	1	0.22




## Robe Hook, Stainless Steel

### Circular satin stainless steel robe hook

- Installation hardware included for wood stud
- 22+LB load capacity

Materials	Stainless steel		
Color/Finish Code/XX	N1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">RHC10001xx</a>	1-3/4 x 2-13/16 x 2	22	0.50




## Robe Hook, Nylon

### Nylon single robe hook

- Installation hardware included for wood stud
- Lifetime warranty [①](#)

Materials	Polyamide		
Color/Finish Code/XX	W1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">F17AKN03xx</a>	2-11/16 x 1-13/16 x 1-9/16	22	0.04



## Robe Hook, Double Hook, Nylon

### Nylon double robe hook

- Installation hardware included for wood stud
- Lifetime warranty [①](#)

Materials	Polyamide		
Color/Finish Code/XX	W1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">F17AKN04xx</a>	2-11/16 x 1-11/16 x 1-9/16	22	0.04



### Shower Shelf & Grab Bar, Corner


Lifetime antimicrobial vinyl and stainless steel grab bar corner shelf. Grab bar rated load capacity. No maintenance 3mm thick antimicrobial vinyl coating.

- 250LB load capacity
- Installation hardware included for wood stud
- Lifetime warranty [i](#)

Materials      Vinyl, Steel, Stainless steel

Color/Finish Code/XX    W1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G02A0S01xx</a>	9 x 9 x 2-3/16	250	3.75



### Shower Shelf & Grab Bar

Lifetime antimicrobial vinyl and stainless steel grab bar shelf. Grab bar rated load capacity. No maintenance 3mm thick antimicrobial vinyl coating.

- 250LB load capacity
- Installation hardware included for wood stud
- Lifetime warranty [i](#)

Materials      Vinyl, Steel, Stainless steel

Color/Finish Code/XX    W1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G02A0S03xx</a>	13-3/8 x 5-15/16 x 4-15/16	250	4.41



Left                      Right

### Shower Shelf & Grab Bar, Corner

Lifetime antimicrobial vinyl and stainless steel grab bar corner shelf. Grab bar rated load capacity. No maintenance 3mm thick antimicrobial vinyl coating.

- 287LB load capacity
- Installation hardware included for wood stud
- Lifetime warranty [i](#)

Materials      Vinyl, Steel, Stainless steel

Color/Finish Code/XX    W1


Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">G02A0L02xx</a>	9-1/16 x 16 x 2-3/16	287	5.95
<a href="#">G02A0R02xx</a>	9-1/16 x 16 x 2-3/16	287	5.95




### Towel Bar, Stainless Steel

Circular satin stainless steel towel bar


- Installation hardware included for wood stud
- 22+LB load capacity




Materials	Stainless steel		
Color/Finish Code/XX	N1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">TBCI0001xx</a>	27-15/16 x 2-13/16 x 1-3/4	22	1.00



Materials	Stainless steel		
Color/Finish Code/XX	N1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">THCI0001xx</a>	5-5/16 x 2-13/16 x 6-1/8	22	0.70



Materials	Stainless steel		
Color/Finish Code/XX	N1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">F47APS01xx</a>	25-1/16 x 7-11/16 x 4-1/2	22	1.13



### Hand Shower Holder, ABS

Slide ABS hand shower holder.

- Fits on any 1.25"dia grab bar
- Holds most standard shower sprayers
- Easy height adjustability
- Lifetime warranty [①](#)

Materials Polyamide

Color/Finish Code/XX W1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">Y87J0S02xx</a>	4-5/8 x 3-1/16 x 1-3/4		0.2



### Hand Shower Holder, Ergonomic, ABS

Ergonomic ABS hand shower holder.

- Easily slides with minimal hand pressure
- Fits on any 1.25"dia grab bar
- Holds most standard shower sprayers
- Exceeds ADA requirements
- Lifetime warranty [①](#)

Materials ABS

Color/Finish Code/XX W1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">Y87J0S04xx</a>	3-3/4 x 4-9/16 x 6-7/16		0.35



### Shower Rod, Curved, 60", Stainless Steel

5' satin stainless steel curved shower rod. 9" center bow.

- Cut on site if needed
- Installation hardware included for wood stud
- Lifetime warranty [①](#)

Materials Stainless steel, Zamak

Color/Finish Code/XX N1

Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">C41FGM01xx</a>	60 x 6-11/16 x 3		4.20


**Shower Rod, Curved, 72", Stainless Steel**
**6' satin stainless steel curved shower rod. 9" center bow.**

- Cut on site if needed
- Installation hardware included for wood stud
- Lifetime warranty [\(i\)](#)



Materials	Stainless steel, Zamak		
Color/Finish Code/XX	N1		
Code	Dimensions [inches] Overall AxBxC	Load [lbs.]	Weight [lbs.]
<a href="#">C41FGM02xx</a>	72 x 9 x 3		5.20



[Back to Index](#)

# FASTENERS

Fasteners for secure and safe installation  
of bathroom accessories.



Optional



Commercial  
beast fastener  
1 1/4" drill bit.

**Y96SFS02**

### Fastener, Heavy Capacity, Stainless Steel

Commercial beast fastener. Stainless steel and 3M VHB waterproof adhesive.

- Water and fire resistant
- Exceeds ADA load capacity requirements and all building codes
- Rated up to 800LB in drywall with tile
- Drill Bit part number: Y96SFS02

Materials	Stainless steel
Color/Finish Code/XX	N1
Code	Overall dimensions Length x Depth x Height [inches]
<b><u>Y96SES58</u></b>	2.75 x 4 x 2.75



Optional



Standard  
fastener 3/4"  
drill bit.

**Y96SFS01**

### Fastener for Grab Bars, Stainless Steel

Grab bar fastener.

- Exceeds ADA load capacity requirements and all building codes
- Rated up to 600LB in drywall with tile
- Drill Bit part number: Y96SFS01

Materials	Stainless steel, structural plastic
Color/Finish Code/XX	N.A.
Code	Overall dimensions Length x Depth x Height [inches]
<b><u>Y96SES56</u></b>	2.5 x 3.5 x 3



## Product warranty, limitations, and product maintenance information

### Limited warranty

If a product fails due to a defect in material or workmanship during periods of time listed below for each product, Ponte Giulio USA Corp. - "Ponte Giulio" - will replace or repair it free of charge. Simply **contact Ponte Giulio at 1-877.766.8301** for replacement information.

GRAB BARS, BATH ACCESSORIES, SEATS AND BENCHES:

#### Lifetime Guarantee

*please refer to "Limitation of liability" section*

CRESCENT SHOWER RODS

1 year

### Exceptions and restrictions

- This warranty does not cover products which have not been installed or used in accordance with the instructions concerning installation and use set forth in the owner's manual or installation instructions, and when the recommendations and warnings included are not observed.
- This warranty does not cover products that have been modified or dismantled partially or totally; or have been used in a negligent fashion and as a consequence has suffered damages attributable to the consumer, individual, or hardware not authorized by Ponte Giulio.
- This warranty does not cover products which have been abused, altered, damaged, misused, cut or worn. making substitutions or modifying this product in any way will void your warranty.
- This warranty does not cover the damages as a result of disaster such as fire or acts of god, including flooding, earthquake, or electric storms, etc.

### Limitation of liability

Other than the limited warranty stated above, to the extent permitted by law, Ponte Giulio disclaims all other implied or express warranties, including all warranties of merchantability and/or fitness for a particular purpose. this warranty is your sole remedy and Ponte Giulio shall not be liable for any damages (whether direct, indirect, incidental, special, consequential, exemplary, or otherwise, including lost revenues and lost profits) arising out of any theory of recovery, including statutory, contract or tort.

Notwithstanding the term of any limited or implied warranty, or in the event that any limited warranty fails of its essential purpose, in no event will Ponte Giulio's entire liability exceed the purchase price of this product. Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages so the above limitations or exclusions may not apply to you. This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state and province to province.


Ponte Giulio assumes no liability for any personal injury or property damage caused by improper assembly, installation or use of this product.

### Cleaning & Care



Please use non-abrasive cleaners such as "Fantastic", "409" or warm soapy water for cleaning. Cleaners with grit should be avoided.

Use of harsh cleaning chemicals may discolor vinyl, nylon or metallic finishes.



## Patient Shower Room

### ① Bariatric Shower Seat

*Ponte Giulio L-shaped folding bariatric shower seat has an antimicrobial coated frame with stainless steel core. The 10mm thick HPL seat top provides comfort and safety. This seat has a 1,000+lb load capacity, with a tension hinge to prevent seat dropping. The low profile of this seat makes it a great option for small spaces; Projecting less than 6" from the wall when folded in the upright position.*

*Model Number Shown: G02JDR31W1, [see page 12](#)*

### ② Ergonomic Slide Hand Shower Holder

*This hand shower holder will fit on any 1.25" diameter grab bar, and hold standard size shower sprayer/hose combinations. Easy height adjustability with minimal hand pressure.*

*Model Number Shown: Y87JOS04W1, [see page 28](#)*

### ③ Antimicrobial Bariatric Grab Bar


*This no maintenance bariatric grab bar has a 3mm thick antimicrobial vinyl coating with a non-slip finish. The 1.25" diameter grab bar has a 1,000+lb load capacity and concealed reinforced 11-hole flange plates provide fast installation.*

*Model Number Shown: G02JAS16W1, [see page 13](#)*

### ④ Antimicrobial Folding Grab Bar

*This no maintenance folding grab bar has 3mm thick antimicrobial vinyl coating with a non-slip finish. The 1.25" diameter grab bar has a 330lb load capacity and concealed reinforced stainless steel installation plate.*

*Model Number Shown: G41JCS03W1, [see page 18](#)*



## ADA Accessible Airport Shower Lockers

### ① L-Shaped Double Folding Shower Seat

Ponte Giulio ADA double folding shower seat is constructed with a steel core and antimicrobial coated frame. This product has a 450lb load capacity and also includes a tension hinge which prevents seat from dropping. Less than 6" projection from wall when folded in upright position

Model Number Shown: **G02JDR30W1**, [see page 8](#)

### ② Antimicrobial Grab Bar

This no maintenance Contractor Series grab bar has a 3mm thick antimicrobial vinyl coating with a non-slip finish. The 1.25" diameter grab bar has concealed reinforced 4-hole flange plates providing fast installation.

Model Number Shown: **G25JAS07W1**, [see page 16](#)

### ③ Slide ABS Hand Shower Holder

This hand shower holder will fit on any 1.25" diameter grab bar, and hold standard size shower sprayer/hose combinations. Easy height adjustability with minimal hand pressure.

Model Number Shown: **Y87JOS02W1**, [see page 28](#)

### ④ Robe Hook

This Ponte Giulio robe hook is durable and able to withstand high traffic use in commercial applications. The wall mounted plate and set screw cover provide quick and flawless installation.

Model Number Shown: **F17AKN03W1**, [see page 25](#)



## ADA Accessible Locker Room Shower Area

### ① Rectangular Folding Shower Seat

*This ADA Ponte Giulio folding shower seat has a stainless steel frame and mounting plate, with 10mm thick HPL seat top. This seat has a 600lb load capacity and is constructed with our standard tension hinge which prevents seat from dropping when in the upright position.*

*Model Number Shown: G56UHS02, [see page 8](#)*

---

### ② Stainless Steel Corner Grab Bar

*This Ponte Giulio stainless steel grab bar is a 1.25" diameter, ADA compliant product. It is constructed with 304 stainless steel and has a 1.2mm wall thickness. Multiple flange holes provide easy and fast installation.*

*Model Number Shown: G55JBS03N1 24"x24"*

---

### ③ Stainless Steel Grab Bar

*This Ponte Giulio stainless steel grab bar is a 1.25" diameter, ADA compliant product. It is constructed with 304 stainless steel and has a 1.2mm wall thickness. Multiple flange holes provide easy and fast installation.*

*Model Number Shown: G57JAS03N1, [see page 16](#)*



## ADA Accessible Prison Cell

### ① Anti-Ligature Grab Bar

*Ponte Giulio suicide resistant grab bars can be mounted horizontally or vertically. The 1.25" diameter bar has exposed flanges for increased safety along with the 11 gauge metal closure plate.*

*Model Number Shown: G55UXS03, [see page 17](#)*

## List of product codes in alphanumeric order

Code	Page
C41FGM01 xx	28
C41FGM02 xx	29
F17AGN03 xx	24
F17AGN04 xx	24
F17AKN03 xx	25
F17AKN04 xx	25
F47APS01 xx	27
G02A0L02 xx	26
G02A0R02 xx	26
G02A0S01 xx	26
G02A0S03 xx	26
G02JAS01 xx	12
G02JAS11 xx	13
G02JAS12 xx	13
G02JAS13 xx	13
G02JAS14 xx	13
G02JAS16 xx	13
G02JAS18 xx	13
G02JBL21 xx	14
G02JBR21 xx	14
G02JDL29 xx	7
G02JDL30 xx	8
G02JDL31 xx	12
G02JDR29 xx	7
G02JDR30 xx	8
G02JDR31 xx	12
G02JDS18 xx	10
G02JDS19 xx	10
G25JAS01 xx	17
G25JAS02 xx	17
G25JAS03 xx	17
G25JAS04 xx	17
G25JAS05 xx	17

Code	Page
G25JAS06 xx	17
G25JAS07 xx	17
G25JAS08 xx	17
G25JAS09 xx	17
G25JBL20 xx	18
G25JBR20 xx	18
G25JCS38 xx	19
G25JDL29 xx	7
G25JDR29 xx	7
G25JDS18 xx	10
G25JDS19 xx	10
G25JDS22 xx	9
G41JCS01 xx	21
G41JCS03 xx	21
G41JCS09 xx	20
G41JCS10 xx	20
G41JCS46 xx	21
G41JCS47 xx	20
G55JAS15 xx	18
G55JBL19 xx	18
G55JCL38 xx	19
G55JCR38 xx	19
G55JCS12 xx	22
G55JCS14 xx	22
G55JDS31 xx	12
G55JDS35 xx	6
G55UXS03 xx	17
G55UXS04 xx	17
G55UXS07 xx	17
G55UXS08 xx	17
G56JCS03 xx	19
G56UHS01 xx	9

Code	Page
G56UHS02 xx	8
G56UHS03 xx	6
G57JAS01 xx	16
G57JAS02 xx	16
G57JAS03 xx	16
G57JAS04 xx	16
G57JAS05 xx	16
G57JAS06 xx	16
G57JAS07 xx	16
G57JAS08 xx	16
G57JAS09 xx	16
G57UAS01	16
G57UAS02	16
G57UAS03	16
G57UAS04	16
G57UAS05	16
G57UAS06	16
G57UAS07	16
G57UAS08	16
RHCI0001 xx	25
TBCI0001 xx	27
THCI0001 xx	27
TPHCI001 xx	24
Y87JOS02 xx	28
Y87JOS04 xx	28
Y96SES56 xx	32
Y96SES58 xx	32
Y96SFS01	32
Y96SFS02	32

### Warning

The information and data provided in this document, although verified and compiled with the utmost attention, cannot be considered binding.

Ponte Giulio reserves the right to make changes, even without notice, in order to improve the characteristics of its products.

### Document identification

CWAC.US.06.20, © Ponte Giulio USA Corp.  
Rev.: No.07/26-02-21

**Ponte Giulio USA Corp.**  
W241 S4021 Rockwood Circle  
Waukesha, WI 53189  
📞 1.877.766.8301  
📠 1.877.766.8306  
⭐ [www.pontegiulio.com](http://www.pontegiulio.com)  
✉ [USA@PonteGiulioUSA.com](mailto:USA@PonteGiulioUSA.com)

**Ponte Giulio S.p.A.**  
Località Ponte Giulio 05018 Orvieto (TR) | ITALY  
📞 +39 0763 316044  
📠 +39 0763 316043  
⭐ [www.pontegiulio.it](http://www.pontegiulio.it)

